

B_

Aqua

A unique level cut loop broadloom that evokes the vast, calming spaces of the world’s seas. Inviting and soothing on the eye - ideal for the hospitality sector; refreshing and classy for executive areas. A wide colour palette that invites an equally vast choice of interior design options. Versatile and as variable as the sea in either wall-to-wall or loose-lay rug options.

Extended Specifications

Use Classification:	Medium/General Commercial - 32 (EN1307)
Construction:	Level Cut Loop (LCL)
Recycled Content:	Yarn – Stainproof SDX Eco (certain colours)
Yarn Type:	Stainproof SDX (Solution Dyed Nylon-6)
Yarn Mass:	± 900 (g/m²) ± 26,54 (oz/yd²) (ISO 8543)
Pile Height:	± 6.5 (mm) ± 0,26 (in) (ISO 8543)
Stitch Rate:	40 (per 10cm) 10,16 (per 1in)
Total Thickness:	± 9 (mm) ± 0,35 (in) (ISO 8543)
Total Mass:	± 1860 (g/m²) ± 54,86 (oz/yd²) (ISO 8543)
Standard Size (Broadloom):	4 (m) 157,48 (in)
Standard Backing:	FusionBac
Machine Gauge:	1/10”




B.

Aqua


Extended Specifications

Pattern repeat (l x w):	± 96 × 98.5 cm	
Fire Classification:	(SANS 10177-4) (EN 13501) (ISO 9239) (ASTM E 648-08)	
Colour Fastness to:	Light	> 6 (NF EN ISO 105-B02)
	Water	4 – 5 (ISO 105-E01)
	Dry Rubbing	4 – 5 (ISO 105-X12)
	Wet Rubbing	4 – 5 (ISO 105-X12)
Electrostatic Propensity:	≤ 2 kV (EN 14041) / (ISO 6356)	
Sound Absorption:	0,25 aw (EN ISO 354)	
Sound Insulation:	27 dB (EN ISO 10140)	
Thermal Resistance:	0,1201 m².K/W (ISO 8302)	
VOC Tested:	(ASTM D5116)	
Castor Chair Suitability:	(NF EN 985)	
Staircase Suitability:	(EN 1963) / (NF EN ISO 12951)	
Warranty:	15 year	
Guarantee:	5 year	







Arabian Sea
L: 34,84 • Y: 8,42




Baltic Sea
L: 12,05 • Y: 1,41




Celtic Sea
L: 34,62 • Y: 8,31




Hudson Bay
L: 33,48 • Y: 7,76




Mediterranean
L: 41,71 • Y: 12,32




Mozambique Channel
L: 46,78 • Y: 15,85




Persian Gulf
L: 55,84 • Y: 23,75




Solomon Sea
L: 47,86 • Y: 16,69



Sulu Sea
L: 49,32 • Y: 17,86



Timor Sea
L: 42,95 • Y: 13,12



Yellow Sea
L: 46,84 • Y: 15,89


Aqua




Medium/General
Commercial



From Local &
Imported Goods




Hospitality



Broadloom



Eco-Friendly



Underfloor
Heating



GREEN TAG
CERTIFIED



BELGOTEX GUARANTEE
5
YEAR



LIMITED WEAR WARRANTY
15
YEAR



Suitable for
Staircases



Office Chair
Castor Wheels



REUSE
REDUCE
RECYCLE



COLOURFAST
SDX
BLEACH RESISTANT



COLOURFAST
SDX
ECO
BLEACH RESISTANT



FUSION
BAC



ANTI ALLERGENIC



Bill of Quantities

- Belgotex's AQUA 4m wide Medium/General Commercial ±9mm FusionBac broadloom is manufactured from Stainproof SDX and Stainproof SDX Eco.
- This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex recommends the use of Carpet protector mats where castor wheels are used.
- 15 year warranty and 5 year guarantee.
- Made in South Africa.
- Green tag level A Gold rated certification.

*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.