# B\_

## Swirl

#### **Textured Collection: Broadloom & Rug**

Let go. Move. Have fun. Life is always in motion, so don't let current circumstances hold you back and don't let conventions restrict you from expanding yourself. Your unique creative energy is waiting to be released, so tap into it and let it swirl!

### **Extended Specifications**

Use Classification: Medium / General Commercial – 32 (EN 1307)

Construction: Level Cut Loop (LCL)

Recycled Content: Yarn – Stainproof SDX Eco (certain colours)

Yarn Type: Stainproof SDX (Solution Dyed Nylon - 6)

Yarn Mass:  $\pm 900 \text{ (g/m}^2) \mid \pm 26,54 \text{ (oz/yd}^2\text{) (ISO 8543)}$ 

Pile Height: ± 6.5 (mm) | ± 0,26 (in) (ISO 8543)

Stitch Rate: 40 (per 10cm) | 10,16 (per 1in)

Total Thickness: ± 9 (mm) | ± 0,35 (in) (ISO 8543)

Total Mass:  $\pm 1860 (g/m^2) | \pm 54,86 (oz/yd^2) (ISO 8543)$ 

Standard Size (Broadloom): 4 (m) | 157,48 (in)

Standard Backing: FusionBac



# B\_

## Swirl

**Textured Collection: Broadloom & Rug** 

#### **Extended Specifications**

Machine Gauge: 1/10"

Pattern Repeat (lxw):  $\pm$  194 × 132.5 cm

Fire Classification: 3 (SANS 10177-4) Cfl-s1 (EN 13501-1) (ISO 9239)

Class 1 (ASTM E 648-08)

Colour Fastness To: Light > 6 (NF EN ISO 105-B02)

Water 4 – 5 (ISO 105-E01)
Dry Rubbing 4 – 5 (ISO 105-X12)
Wet Rubbing 4 – 5 (ISO 105-X12)

Electrostatic Propensity: ≤ 2 kV (EN 14041) / (ISO 6356)

Sound Absorption: 0,25 aw (EN ISO 354)
Sound Insulation: 27 dB (EN ISO 10140)


Thermal Resistance: 0,1201 m².K/W (ISO 8302)

VOC Tested: (ASTM D5116)
Castor Chair Suitability: (NF EN 985)

Staircase Suitability: (EN 1963) / (NF EN ISO 12951)

Warranty: 15 Year (Broadloom) 1 Year (Rug)

Guarantee: 5 Year (Broadloom) 1 Year (Rug)













Earthy







Silver

### Swirl

#### **Textured Collection: Broadloom & Rug**





Commercial




























(Broadloom)















#### **Bill of Quantities**

- Belgotex's TEXTURED collection is available as  $1.6 \times 2.4 \text{m}/2 \times 3 \text{m}/2.4 \times 3.4 \text{m}/3 \times 4 \text{m}/0.8 \times 3 \text{m}$  rugs and as 4 m wide General/Medium Commercial ±9mm (total thickness) FusionBac broadloom, manufactured from Stainproof SDX and Stainproof SDX ECO.
- · This product is to be laid in accordance with the SANS 10186 fitting code of practice.
- Belgotex recommends the use of carpet protector mats where castor wheels are used.
- 15 year warranty and 5 year guarantee for broadloom.
- · 1 year warranty and 1 year guarantee for rugs.
- · Made in South Africa.
- · GreenTag Level A Gold Rated Certification.

\*All product names and logos are trademarks of BELGOTEX FLOORCOVERINGS® (Pty) Ltd. © BELGOTEX FLOORCOVERINGS® (Pty) Ltd. All rights reserved. Warranty and guarantee to limitations and conditions. For details contact BELGOTEX FLOORCOVERINGS® (Pty) Ltd.