



Inter Decor

RENOVATION FURNITURE TRADING LLC



CARPET TILES CATALOGUE BALTA ON ORDER

MODERN, CLASSICAL & STYLISH
FLOOR, WALL & WINDOW TREATMENTS.



BALTA

Balta is one of the largest producers of textile coverings in Europe. Balta carpet tiles meet the strictest European standards, with innovative designs and creative carpet solutions. Innovative design processes enable Balta to deliver products that push boundaries of design, performance & value



Base




Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Base



Base 108



Base 316



Base 500



Base 506

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Base



Base 541



Base 609



Base 805




Base 907

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Base



Base 932



Base 966

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Baselines




Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4500 g/m ²
Pile Height:	2.8 mm
Total Height:	6.1 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	5
Water Fastness:	4

Baseline




Baselines 179



Baselines 338



Baselines 510




Baselines 519

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Baseline



Baselines 552



Baselines 659



Baselines 829




Baselines 901

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Baseline



Baselines 957



Baselines 993

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Cube




Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4


Cube




Cube 592



Cube 847



Cube 942



Cube 983

Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Craft



Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	60% PA IMPREL/40% PP
Pile Weight:	660 g/m ²
Total Weight:	4050 g/m ²
Pile Height:	3.0 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 31
Tuft Density:	215.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Craft




Craft




Craft 77



Craft 90



Craft 97




Craft 98


Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	60% PA IMPREL/40% PP
Pile Weight:	660 g/m ²
Total Weight:	4050 g/m ²
Pile Height:	3.0 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 31
Tuft Density:	215.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Craft




Craft 34



Craft 44



Craft 53



Craft 64

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	60% PA IMPREL/40% PP
Pile Weight:	660 g/m ²
Total Weight:	4050 g/m ²
Pile Height:	3.0 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 31
Tuft Density:	215.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Diva




Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	360 g/m ²
Total Weight:	3725 g/m ²
Pile Height:	2.8 mm
Total Height:	5.7 mm
Wear Classification:	Commercial Class 31
Tuft Density:	149.600/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Diva



Diva Casa



Diva 810



Diva 930



Diva 942



Diva 966


Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	360 g/m ²
Total Weight:	3725 g/m ²
Pile Height:	2.8 mm
Total Height:	5.7 mm
Wear Classification:	Commercial Class 31
Tuft Density:	149.600/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Diva Casa



Diva 155



Diva 382



Diva 553




Diva 595


Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	360 g/m ²
Total Weight:	3725 g/m ²
Pile Height:	2.8 mm
Total Height:	5.7 mm
Wear Classification:	Commercial Class 31
Tuft Density:	149.600/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Diva Casa



Diva 950



Diva 970



Diva 980

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	360 g/m ²
Total Weight:	3725 g/m ²
Pile Height:	2.8 mm
Total Height:	5.7 mm
Wear Classification:	Commercial Class 31
Tuft Density:	149.600/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Diva Casa



Diva 390



Diva 790



Diva 827

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	360 g/m ²
Total Weight:	3725 g/m ²
Pile Height:	2.8 mm
Total Height:	5.7 mm
Wear Classification:	Commercial Class 31
Tuft Density:	149.600/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Frame




Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Frame



Frame



Frame 140



Frame 535



Frame 578




Frame 592


Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4


Frame




Frame 825



Frame 847



Frame 915




Frame 942

Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Frame



Frame 983



Frame 990

Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Lineations



Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	550 g/m ²
Total Weight:	4300 g/m ²
Pile Height:	5.0 mm
Total Height:	7.0 mm
Wear Classification:	Commercial Class 22
Tuft Density:	189.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Lineations




Lineations




Lineations 380



Lineations 880



Lineations 900



Lineations 980

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	550 g/m ²
Total Weight:	4300 g/m ²
Pile Height:	5.0 mm
Total Height:	7.0 mm
Wear Classification:	Commercial Class 22
Tuft Density:	189.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5


Quartz



Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	550 g/m ²
Total Weight:	4300 g/m ²
Pile Height:	4.0 mm
Total Height:	7.0 mm
Wear Classification:	Commercial Class 22
Tuft Density:	212.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Quartz




Quartz 185



Quartz 685



Quartz 945



Quartz 965

Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PP Stainsafe
Pile Weight:	550 g/m ²
Total Weight:	4300 g/m ²
Pile Height:	4.0 mm
Total Height:	7.0 mm
Wear Classification:	Commercial Class 22
Tuft Density:	212.000/ m ²
Size:	50x50 cm
Fire Class:	Cfl-s1 (EN 13501-1)
Fastness to Light:	5-6
Water Fastness:	4-5

Quartz




Space




Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	600 g/m ²
Total Weight:	4500 g/m ²
Pile Height:	3.6 mm
Total Height:	7.2 mm
Wear Classification:	Commercial Class 33
Tuft Density:	200.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Space



Space 965



Space 983

Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	600 g/m ²
Total Weight:	4500 g/m ²
Pile Height:	3.6 mm
Total Height:	7.2 mm
Wear Classification:	Commercial Class 33
Tuft Density:	200.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4


Swift




Specifications

Manufacturing process:	Tufting 1/10" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	480 g/m ²
Total Weight:	4250 g/m ²
Pile Height:	2.5 mm
Total Height:	6.0 mm
Wear Classification:	Commercial Class 33
Tuft Density:	176.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4


Swift



Swift 914



Swift 553




Swift 990

Specifications

Manufacturing process:	Tufting 1/10" Loop pile
Dye Method:	Solution Dyed
Composition:	BCF Polyamide 6
Pile Weight:	590 g/m ²
Total Weight:	4000 g/m ²
Pile Height:	2.8 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Size:	50 x 50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Luxury Rating:	LC1
Impact Sound Reduction:	25 dB


Wall



Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Wall



Wall 140



Wall 535



Wall 578



Wall 592


Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4


Wall




Wall 825



Wall 847



Wall 915




Wall 942

Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4

Wall



Wall 983



Wall 990

Specifications

Manufacturing process:	Tufting 1/12" Loop Pile
Pile Composition:	100% PA6 Spaced Dyed
Pile Weight:	630 g/m ²
Total Weight:	4400 g/m ²
Pile Height:	3.0 mm
Total Height:	6.5 mm
Wear Classification:	Commercial Class 33
Tuft Density:	245.000/ m ²
Size:	50x50 cm
Fire Class:	Bfl-s1 (EN 13501-1)
Fastness to Light:	7
Water Fastness:	4



MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

Inter Decor is a supply and fit out division based in the UAE with an extensive portfolio of floors, wall coverings and window treatment solutions. We offer extensive experience on a broad range of work from small bespoke fit-outs, through to substantial large-scale developments and masterplans

INTER DECOR

Renovation Furniture Trading LLC

T: +91 44533068 E: id@rftgulf.com.com

A: Opal Tower, Office No. 2004, Business Bay,
Burj Khalifa Boulevard, Dubai PO Box 103642.

W: www.interdecor.ae

