

Inter Decor

RENOVATION FURNITURE TRADING LLC



FLOORING ACCESSORIES CATALOGUE

PROFILES, GRIPPERS, UNDERLAYS & TOOLS


Intro.


ABOUT

Inter Decor is a supply & fit-out division based in the UAE with an extensive portfolio of floors, wall coverings and window treatment solutions. Our approach is to work directly with you, with no resellers involved, in a collaborative process with added value. We provide extensive experience on a broad range of work from small bespoke fit-outs, through to substantial large-scale developments & masterplans


KNOW HOW

We offer longstanding partnerships with renowned global manufacturers to source best-in-class products. As well as dealing with quality manufacturers, we have an in-house installation team of dedicated installers, committed to achieving installation excellence and providing window treatment solutions.





3. Our sales team is located throughout the UAE & Oman, backed by offices, manufacturing and large warehouse facilities conveniently located in UAQ.






Rubber Underlays

Flooring Accessories




PU Underlays



Felt Underlays
















Blades





Durafit 500 Rubber Underlay



Specifications

Floor Usage: Carpet

Installation Method: Double-Stick

Construction: Crumb Rubber (Reinforced)

Thickness: 5.25mm

Square Weight: 2100 g/m²


Roll Area: 15.07m²

End Use Classification HC/U Heavy Contract
Odour: No Objectionable Odour

French VOC Emission Regs: A+
Anti-Microbial & Mildew: Pass
Impact Sound Reduction: 26 dB
Recyclable: 100%

Indoor Air Quality: Green Label Plus Certified

Durafit 650 Rubber Underlay



Specifications

Floor Usage: Carpet

Installation Method: Double-Stick

Construction: Crumb Rubber (Reinforced)

Thickness: 6.5 mm

Square Weight: 2700 g/m² Roll Area: 15.07m²

End Use Classification HC/U Heavy Contract
Odour: No Objectionable Odour

French VOC Emission Regs: A+

Anti-Microbial & Mildew: Pass
Impact Sound Reduction: 29 dB
Recyclable: 100%

Indoor Air Quality: Green Label Plus Certified

Dynamics Rubber Underlay



Specifications

Floor Usage: Carpet

Installation Method: Stretch Fit

Construction: Sponge Rubber

Thickness: 9.4 mm

Square Weight: 3458 g/m² Roll Area: 10.96 m²

End Use Classification L/U Luxury & Contract No Objectionable Odour

French VOC Emission Regs: A+

Anti-Microbial & Mildew: Pass Impact Sound Reduction: 35 dB

Recyclable: 100%

Indoor Air Quality: Green Label Plus Certified

Step 100 Rubber Underlay



Specifications

Floor Usage: Carpet

Installation Method: Stretch Fit

Construction: Sponge Rubber

Thickness: 8.9 mm

Square Weight: 3017 g/m² Roll Area: 15.07 m²

End Use Classification GD/U General Use & Contract

Odour: No Objectionable Odour

French VOC Emission Regs: A+

Anti-Microbial & Mildew: Pass Impact Sound Reduction: 35 dB

Recyclable: 100%

Indoor Air Quality: Green Label Plus Certified

Timbermate Excel

Rubber Underlay



Specifications

Floor Usage: Timber & Laminate

Installation Method: Loose Lay

Construction: Laminate Sponge Rubber

Thickness: 3.6 mm

Square Weight: 3545 g/m² Roll Area: 15.07 m²

End Use Classification HC/U Heavy Contract Use Odour: No Objectionable Odour

French VOC Emission Regs: A+

Anti-Microbial & Mildew: Pass
Impact Sound Reduction: 23 dB
Recyclable: 100%

Emissions: Meets or Exceeds / CRI Green Label

LVT Multifit

Rubber Underlay



Specifications

Floor Usage: LVT

Installation Method: Loose Lay

Construction: Sponge Rubber

Thickness: 1.5 mm

Square Weight: 2500 g/m² Roll Area: 10.00 m²

End Use Classification GD/U General Use & Contract

Odour: No Objectionable Odour

French VOC Emission Regs: A+

Anti-Microbial & Mildew: Pass
Impact Sound Reduction: 18 dB

Recyclable: 100%

Indoor Air Quality: Green Label Plus Certified

FR7 PU Underlay



Specifications

Floor Usage: Carpet

Installation Method: Double Stick

Construction:

Thickness: 7 mm

Square Weight: 1,450 g/m² Roll Area: 15.07 m²

End Use Classification HC/U Heavy Contract Use

Odour: No Objectionable Odour

Anti-Microbial & Mildew: Pass
Impact Sound Reduction: 34 dB
Recyclable: 100%

Indoor Air Quality: Green Label Plus Certified

Envirolay 260z Felt Underlay



Specifications

Floor Usage: Carpet

Installation Method: Loose Lay

Construction: Felt

Thickness: 7 mm

Square Weight: 26 oz


Roll Area: $15.07 \, \text{m}^2$

Light Contract Use End Use Classification

No Objectionable Odour Odour: N/A

Impact Sound Reduction: Green Credentials: Low Carbon Underlay

Envirolay 30oz Felt Underlay



Specifications

Odour:

Floor Usage: Carpet

Installation Method: Loose Lay

Construction: Felt

Thickness: 7 mm

Square Weight: 30 oz

Roll Area: $15.07 \, \text{m}^2$


Light Contract Use End Use Classification

Impact Sound Reduction: N/A

Green Credentials: Low Carbon Underlay

No Objectionable Odour

Profiles – Stair Nosing




Profiles – Stair Nosing

M74 A

Width: 25mm Length: 2700mm


Finish: Aluminum




M74 GMA

Width: 25mm Length: 2700mm

Finish: Gold







M75 AMA

Width: 25mm

Length: 2700mm Finish: Aluminum



Profiles - General





Profiles - General

M13BS

Width: 38mm Length: 2700mm

Finish: Aluminum







M71 A

Width: 42mm Length: 2700mm

Finish: Aluminum







M71 G


Width: 42mm

Length: 2700mm

Finish: Gold








M29 A

Width: 31mm

Length: 2700mm

Finish: Aluminum






M29 G

Width: 31mm

Length: 2700mm

Finish: Gold






M30 A

Width: 20mm

Length: 2700mm

Finish: Aluminum






M30 G


Width: 20mm


Length: 2700mm

Finish: Gold










M34 A


Width: 28mm Length: 2700mm Finish: Aluminum



M34 G

Width: 28mm Length: 2700mm Finish: Gold






M36 BS

Width: TBC
Length: 2700mm
Finish: Aluminum







M38 BS

Width: TBC
Length: 2700mm
Finish: Aluminum

M72 A


Width: 16.5mm Length: 2700mm Finish: Aluminum






M72 G

Width: 16.5mm Length: 2700mm Finish: Gold



M25 A


Width: 28mm Length: 2700mm Finish: Aluminum






M25 G

Width: 28mm Length: 2700mm Finish: Gold






Profiles - Vinyl & Parquet



43mm

1.3mm



16.3mm

Width: 32mm
Length: 2700mm
Finish: Gold


Hinish: Gold Use: Parquet

Profiles – Vinyl & Parquet

M83 A

Width: 48.5mm Length: 2700mm


Finish: Aluminum



M83 G

Width: 48.5mm Length: 2700mm

Finish: Gold





Width: 10mm

Length: 2700mm


Finish: Gold




M85 G

Width: 16.5mm Length: 2700mm

Finish: Gold





Tapes

We offer many different specifications of tape to suit your various requirements. All are designed to give a strength of finished seam in excess of British Standards.

Tape is important for joining floors, repairing damage that occurs during instalment, and protecting against moisture. The finished seam strength will also depend on selecting the right tape for the job and using the best tools. Our range includes double-sided carpet tape, vinyl flooring tape and adhesive tape among many more.





6492P Heavy-Duty Double-Sided Tape 6492P Medium-Duty Double-Sided Tape

Grippers

Gripperrods, one of the best-known flooring brands in the UK, offers quality, consistency and reliability. Their highly regarded products include carpet gripper rods, heat seaming tapes and tools as well as single and double-sided tapes. Gripperrods products ensure a high-quality floor fitting and provide the extra finishing touches so the flooring looks its best.

Synonymous with the manufacture of carpet gripper, Gripperrods is now the only manufacturer in the UK. The brand is known and trusted by consumers and the flooring trade throughout the world.





TXP 140 Professional Griper Nail Down

TXT 140 Tackfast Gripper Nail Down

Adhesives

Our range of multipurpose floor adhesives and tackifiers are ideal for direct stick down, single and double stick installations for carpets and carpet tiles. We also provide spray and cartridge adhesives for fixing gripper and edgings, and acrylic adhesives for vinyl flooring. Our high-quality adhesives permanently secure your flooring to your underlayment to ensure long-lasting quality.



STK 100
Low Emission Acrylic
Flooring Adhesive



STK 900 Double Stick Carpet Adhesive




STK 100
Double Stick
Tackifier Adhesive


TOOS

Our range of tools are ideal for a variety of flooring applications including carpets, vinyl, timber, laminate, SPC/LVT modular flooring and carpet tiles. Our tools ensure a high-quality fitting, so the flooring looks its best.





FLOORING & FLOORING ACCESSORIES



INTER DECOR

Renovation Furniture Trading LLC

e: id@rftgulf.com.com

w: www.interdecor.ae

t: +91 44533068

a: Opal Tower, Office No. 2004, Business Bay, Dubai