




Inter Decor

RENOVATION FURNITURE TRADING LLC



LAMINATE

MODERN, CLASSICAL & STYLISH
FLOOR, WALL & WINDOW TREATMENTS.



BerryAlloc® offers a wide array of interior solutions for residential and commercial projects. The extensive BerryAlloc® product range has a lifetime warranty, is durable and meets current aesthetic and technical requirements: quality, variety of finishes, durability, longevity and ease of installation. BerryAlloc® is part of the Beaulieu International Group.

BERRY  **ALLOC**

HOMAG

Cadenza Collection



Cadenza

ALLEGRO LIGHT - IN STOCK



Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Cadenza

LEGATO LIGHT - IN STOCK



Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Cadenza

ALLEGRO NATURAL – IN STOCK



Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Cadenza

LEGATO LIGHT NATURAL - IN STOCK



Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Cadenza

ALLEGRO LIGHT GREY - IN STOCK



Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Cadenza

ALLEGRO BROWN – IN STOCK



Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Cadenza

LEGATO DARK BROWN – IN STOCK



Specifications

Thickness:	8mm
Width:	214mm
Length:	1383mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	4 Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Trendline Pro Collection



Trendline Pro

VERDI OAK – IN STOCK



Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Trendline Pro

SICILY OAK – IN STOCK



Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Trendline Pro

LIVERPOOL OAK – IN STOCK



Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Trendline Pro

VIVALDI OAK – IN STOCK



Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Trendline Pro

LOTUS OAK – IN STOCK



Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Trendline Pro

MAGNOLIA OAK – IN STOCK



Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Trendline Pro

POPPY OAK – IN STOCK



Specifications

Thickness:	8mm
Width:	190mm
Length:	1288mm
Core:	High Density Fibreboard (HDF) Moisture Resistant
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32 General Commercial Use
Abrasion Class:	AC4
Connection System:	Duoloc Locking System
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag Collection



Homag

HOMAG 1725 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 6220-26 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 6635 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 303 – IN STOCK




Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 6359 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4

HOMAG 6338 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

Homag AC4



HOMAG 6339 – IN STOCK



Specifications

Thickness:	8mm
Width:	196mm
Length:	1215mm
Core:	High Density Fibreboard (HDF)
Bevel:	No Bevels
Finish:	Matt
Commercial Class:	Class 32
Abrasion Class:	AC4
Connection System:	Click
Installation Type:	Floating
Fire Class:	Cfl-s1

LAMINATE ACCESSORIES



A wide variety of laminate accessories are available upon request including skirtings, floor trims and underlays to complement the flooring.



MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

Inter Decor is a supply and fit out division based in the UAE with an extensive portfolio of floors, wall coverings and window treatment solutions. We offer extensive experience on a broad range of work from small bespoke fit-outs, through to substantial large-scale developments and masterplans

INTER DECOR

Renovation Furniture Trading LLC

T: +91 44533068 E: id@rftgulf.com.com

A: Opal Tower, Office No. 2004, Business Bay,
Burj Khalifa Boulevard, Dubai PO Box 103642.

W: www.interdecor.ae

