




# **XL PRO**

## **Inter Decor**

Renovation Furniture Trading LLC www.interdecor.ae



#### **XL PRO**



# OUR SERVICES



We are a leading supply and fit out division for floorings and other products. Our scope of operation is the UAE and other GCC countries & beyond.



#### **Flooring**

Supply & Installation.



#### **Stocking Programme**

Large Warehouses in UAQ.



#### **SPC Wall Panels**

Supply & Installation.



#### **Dubai Showroom**

Based in Dubai, Business Bay Area



#### **Roller Blinds**

Supply & Installation.



#### **GCC Operations**

Export to other GCC Countries & beyond.

#### Sectors involved with:

We operate in a number of sectors including:

- Hospitality
- Workplace
- Residential
- Educational
- Healthcare
- Retail



Renovation Furniture Trading LLC

#### XL PRO FS800

#### **BARE FINISH**

**Specifications** 

Product Name: XL Pro FS800 Steel Cement Bare Finish

Quality: FS800

Finish: Bare Finish (Phosphate Coated)

Material 1 Steel: Steel (Cold Roll)

Material 2 Concrete: Concrete Core (Density 1.2 g/m<sup>3</sup>

Material 3 Coating: Static Epoxy Powder (Anti-Wear/Corrosion)

Panel Size: 600 x 600 x 35mm

Panel Tolerance: +/- 0.25mm

**Thickness of Steel Sheet Top: 0.7mm** 

Panel Weight: 13 Kg (approx.)

Concentrated Loading: 363 Kg

Ultimate Loading: 11,250N

Uniform Loading: 16,500 N/Sq.M

Rolling Loading: 2,950 N
Fire-Proof Perform.: Class A

**Compression Strength: 13 to 20 MPA** 

#### XL PRO FS800-BARE FINISH

Raised Access Flooring

Work smarter with raised access flooring



FS800 - BARE FINISH

Renovation Furniture Trading LLC

#### XL PRO FS800

#### **HPL FINISH**

**Specifications** 

Product Name: XL Pro FS1000 Steel Cement Bare Finish

Quality: FS1000

Finish: Bare Finish (Phosphate Coated)

Material 1 Steel: HPL Finish (Anti Static HPL/Vinyl)

Material 2 Concrete: Concrete Core (Density 1.2 g/m<sup>3</sup>

Material 3 Coating: Static Epoxy Powder (Anti-Wear/Corrosion)

Panel Size: 600 x 600 x 35mm

Panel Tolerance: +/- 0.25mm

**Thickness of Steel Sheet Top: 0.7mm** 

Panel Weight: 13 Kg (approx.)

Concentrated Loading: 363 Kg

Ultimate Loading: 11,250N

Uniform Loading: 16,500 N/Sq.M

Rolling Loading: 2,950 N

Fire-Proof Perform.: Class A

## XL PRO FS800-HPL FINISH

#### Raised Access Flooring

Work smarter with raised access flooring



FS800 - HPL FINISH

Renovation Furniture Trading LLC

#### **XL PRO FS1000**

#### **Steel Cement HPL Finish**

**Specifications** 

Product Name: XL Pro FS1000 Steel Cement Bare Finish

Quality: FS1000

Finish: Bare Finish (Phosphate Coated)

Material 1 Steel: Steel (Cold Roll)

Material 2 Concrete: Concrete Core (Density 1.2 g/m<sup>3</sup>

Material 3 Coating: Static Epoxy Powder (Anti-Wear/Corrosion)

Panel Size: 600 x 600 x 35mm

Panel Tolerance: +/- 0.25mm

**Thickness of Steel Sheet Top: 0.7mm** 

Panel Weight: 14.5 Kg (approx.)

Concentrated Loading: 453 Kg

Ultimate Loading: 13,350N

Uniform Loading: 23,000 N/Sq.M

Rolling Loading: 2,950 N
Fire-Proof Perform.: Class A

## XL PRO FS800-Steel Cement HPL Finish

Raised Access Flooring

Work smarter with raised access flooring



FS800 STEEL CEMENT HPL FINISH

Renovation Furniture Trading LLC

## **XL PRO FS1000**

#### **BARE FINISH**

**Specifications** 

Product Name: XL Pro FS1000 Steel Cement Bare Finish

Quality: FS1000

Finish: Bare Finish (Phosphate Coated)

Material 1 Steel: Steel (Cold Roll)

Material 2 Concrete: Concrete Core (Density 1.2 g/m<sup>3</sup>

Material 3 Coating: Static Epoxy Powder (Anti-Wear/Corrosion)

■Panel Size: 600 x 600 x 35mm

Panel Tolerance: +/- 0.25mm

**Thickness of Steel Sheet Top: 0.7mm** 

Panel Weight: 14.5 Kg (approx.)

**Concentrated Loading: 453 Kg** 

Ultimate Loading: 13,350N

Uniform Loading: 23,000 N/Sq.M

Rolling Loading: 2,950 N Fire-Proof Perform.: Class A

## XL PRO FS1000 Cement Bare Finish

Raised Access Flooring


Work smarter with raised access flooring



FS1000 CEMENT BARE FINISH

# Sectors we are involved with.

We operate in a number of sectors in the UAE, GCC countries & beyond.



Email: id@rftgulf.com

2

Website: www.interdecor.ae

Phone: +971 4453 3068

Mobile: +971 56414 9931

Address: Westburry Tower, Office No. 1006, Business Bay, Burj Khalifa Boulevard, Dubai PO Box 103642

Instagram: https://www.instagram.com/inter\_decor\_rft/

LinkedIn: https://www.linkedin.com/company/inter-decor

# **Inter Decor**

Raised Flooring - In Stock www.interdecor.ae