

# Inter Decor

RENOVATION FURNITURE TRADING LLC



## SPC CATALOGUE

MODERN, CLASSICAL & STYLISH  
FLOOR, WALL & WINDOW TREATMENTS.



**PERFECTILE**

BY



Extra Rigid

## SPC WALLS & FLOOR

- 100% Waterproof
- Scratch & Stain Resistant
- Easy to Clean & Maintain
- Stable to Sunlight
- No Acclimation Required
- No Telegraphing
- Recyclable & Phthalate Free
- Fast Installation & Refurbishment




Limestone-based core





# Atlas Floor Collection

2687



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Floor Collection

4037



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Floor Collection

2461



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527



# Atlas Floor Collection

2463



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Floor Collection

4038



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527

# Atlas Floor Collection

4040



## Specifications

Collection:	Atlas Floor
Design:	Floor Tile
Width:	615mm
Length:	930mm
Thickness:	5mm (including 1mm EVA absorbing pad)
Wear Layer:	0.55mm
Installation:	Click Tight Lock
Bevel:	No Bevel
Finish:	Anti-microbial PUR
Water Resist.	EN 14527





## MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

Inter Decor is a supply and fit out division based in the UAE with an extensive portfolio of floors, wall coverings and window treatment solutions. We offer extensive experience on a broad range of work from small bespoke fit-outs, through to substantial large-scale developments and masterplans

**INTER DECOR**

Renovation Furniture Trading LLC

T: +91 44533068

E: [id@rftgulf.com.com](mailto:id@rftgulf.com.com)



A: Opal Tower, Office No. 2004, Business Bay,  
Burj Khalifa Boulevard, Dubai PO Box 103642.

W: [www.interdecor.ae](http://www.interdecor.ae)