


Roller Blinds Blackouts

EB001



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor


W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

EB002



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor


W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

PAM 01



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor


W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

PAM 02



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor

W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

BEIGE



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor

W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

EB003




Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor

W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

EB011



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor

W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

705



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor


W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

EB007



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor

W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

EUR 001



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor


W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

HC 1613-01




Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor


W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

HC 1613-710



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor

W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

HC 1613-1107B-13



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor


W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

HC 1613-2914



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor

W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

PAM 02



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor


W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com

Roller Blinds Blackouts

SPB01



Specification

- Composition: 100% Polyester
- Yarn Diameter: 0.4mm
- Yarn Count: 37 Ends & 37 Picks
- Width: 2.0m/2.5m & 78.4 Inch/8.43 Inch
- Finish: Heat Set
- Openness Factor: 100% Blackout
- Tensile Strength: Warp 217.9 & Weft 223.4
- Fabric Weight: 520 Gram K 5%/Sq.m & 15.34 Oz/ Sq. Yard
- Light Fastness: Grade 8 ISO 105 B02/ Xenoin-Arc-Lamp

Key Features

- Blackout fabric with lightly textured finishes & pattern finishes.
- Keeps the light out - ideal for bedroom, cinema rooms, meeting rooms etc.
- Large fabric width allows large blinds to be made without a fabric join.
- High quality mechanism.
- Position stop device included.
- Child safety device included.
- Chain tidy included.



Inter Decor

W: www.interdecor.ae

T: +91 44533068

E: id@rftgulf.com