

Inter Decor

Underlays - In Stock

interfloor

ID

Inter Decor

Renovation Furniture Trading LLC

www.interdecor.ae



interfloor

**FLOORS
WITH
VALUE.**



**Leading
supply & installation
of renowned
flooring brands.**

OUR SERVICES



We are a leading supply and fit out division for floorings and other products. Our scope of operation is the UAE and other GCC countries & beyond.



Flooring

Supply & Installation.



Stocking Programme

Large Warehouses in UAQ.



SPC Wall Panels

Supply & Installation.



Dubai Showroom

Based in Dubai,
Business Bay Area



Roller Blinds

Supply & Installation.



GCC Operations

Export to other GCC
Countries & beyond.

Sectors involved with:

We operate in a number of sectors including:

- Hospitality
- Workplace
- Residential
- Educational
- Healthcare
- Retail



interfloor

Underlays In Stock

Renovation Furniture Trading LLC

Durafit 500

Floors, Redefined.

Specifications

Floor Usage:	Carpet
Installation Method:	Double-Stick
Construction:	Crumb Rubber (Reinforced)
Thickness:	5.25mm
Square Weight:	2100 g/m²
Roll Area:	15.07m²
End Use Classification	HC/U Heavy Contract
Odour:	No Objectionable Odour
French VOC Emission Regs:	A+
Anti-Microbial & Mildew:	Pass
Impact Sound Reduction:	26 dB
Recyclable:	100%
Indoor Air Quality:	Green Label Plus Certified

STK Adhesives The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.




Durafit 500

Crumb Rubber



The Interfloor Difference.



interfloor

Underlays In Stock

Renovation Furniture Trading LLC

Durafit 650

Floors, Redefined.

Specifications

Floor Usage:	Carpet
Installation Method:	Double-Stick
Construction:	Crumb Rubber (Reinforced)
Thickness:	6.5mm
Square Weight:	2700 g/m²
Roll Area:	15.07m²
End Use Classification	HC/U Heavy Contract
Odour:	No Objectionable Odour
French VOC Emission Regs:	A+
Anti-Microbial & Mildew:	Pass
Impact Sound Reduction:	29 dB
Recyclable:	100%
Indoor Air Quality:	Green Label Plus Certified

STK Adhesives The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.




Durafit 650

Crumb Rubber



The Interfloor Difference.



interfloor

Underlays In Stock

Renovation Furniture Trading LLC

FR 7

Floors, Redefined.

Specifications

Floor Usage:	Carpet
Installation Method:	Double-Stick or Stretch Fit
Construction:	PU
Fire Retardant:	Yes
Thickness:	7.0mm
Square Weight:	1015 g/m²
Roll Area:	15.07m²
End Use Classification	HC/U Heavy Contract
Odour:	No Objectionable Odour
French VOC Emission Regs:	A+
Anti-Microbial & Mildew:	Pass
Impact Sound Reduction:	34 dB
Recyclable:	100%
Indoor Air Quality:	Green Label Plus Certified

STK Adhesives

The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.



FR 7

PU (Fire Retardant)

interfloor

The Interfloor Difference.



interfloor

Underlays In Stock

Renovation Furniture Trading LLC

Step 100

Floors, Redefined.

Specifications

Floor Usage:	Carpet
Installation Method:	Stretch Fit
Construction:	Sponge Rubber
Thickness:	8.9mm
Square Weight:	3017 g/m²
Roll Area:	15.07m²
End Use Classification	GD/U Contract
Odour:	No Objectionable Odour
French VOC Emission Regs:	A+
Anti-Microbial & Mildew:	Pass
Impact Sound Reduction:	35 dB
Recyclable:	100%
Indoor Air Quality:	Green Label Plus Certified

Grippers

The complete package

Interfloor grippers are specifically designed to work with all our underlays. Use the complete system to ensure a great finished installation and added peace of mind.



Step 100

Sponge Rubber

interfloor

The Interfloor Difference.



interfloor

Underlays In Stock

Renovation Furniture Trading LLC

Dynamics

Floors, Redefined.

Specifications

Floor Usage:	Carpet
Installation Method:	Stretch Fit
Construction:	Sponge Rubber
Thickness:	9.4 mm
Square Weight:	3458 g/m²
Roll Area:	15.07m²
End Use Classification	L/U Luxury & Contract
Odour:	No Objectionable Odour
French VOC Emission Regs:	A+
Anti-Microbial & Mildew:	Pass
Impact Sound Reduction:	35 dB
Recyclable:	100%
Indoor Air Quality:	Green Label Plus Certified

Grippers

The complete package

Interfloor grippers are specifically designed to work with all our underlays. Use the complete system to ensure a great finished installation and added peace of mind.



Dynamics
Sponge Rubber

interfloor

The Interfloor Difference.



interfloor

Underlays In Stock

Renovation Furniture Trading LLC



Resilient 250

Floors, Redefined.

Specifications

Floor Usage:	Wide Range of Flooring
Installation Method:	Glue Down (above screed)
Construction:	Sponge Rubber
Thickness:	2.5mm
Square Weight:	960 g/m²
Roll Area:	10.00m²
End Use Classification	Heavy Contract Use
Odour:	No Objectionable Odour
French VOC Emission Regs:	A+
Anti-Microbial & Mildew:	Pass
Impact Sound Reduction:	19 dB
Reaction to Fire:	Bfl-s1
Recyclable:	100%
Indoor Air Quality:	Green Label Plus Certified

STK Adhesives The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.



Resilient 250
Sponge Rubber



interfloor

The Interfloor Difference.



interfloor

Underlays In Stock

Renovation Furniture Trading LLC



Soundsure 560

Floors, Redefined.

Specifications

Floor Usage:	Wide Range of Flooring
Installation Method:	Glue Down (below screed)
Construction:	Sponge Rubber
Thickness:	5.60mm
Square Weight:	4000 g/m²
Roll Area:	10.00m²
End Use Classification	Heavy Contract Use
Resistance to Cracking:	No cracking (longer than 50mm)
Odour:	No Objectionable Odour
French VOC Emission Regs:	A+
Anti-Microbial & Mildew:	Pass
Impact Sound Reduction:	27 dB
Recyclable:	100%
Indoor Air Quality:	Green Label Plus Certified

STK Adhesives The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.



Soundsure 560
Sponge Rubber



interfloor

The Interfloor Difference.



interfloor

Underlays In Stock

Renovation Furniture Trading LLC

Timbermate Excel

Floors, Redefined.

Specifications

Floor Usage:	Timber & Laminate
Installation Method:	Loose Lay
Construction:	Laminate Sponge Rubber
Thickness:	3.60mm
Square Weight:	3545 g/m²
Roll Area:	15.0#m²
End Use Classification	Heavy Contract Use
Resistance to Cracking:	No cracking (longer than 50mm)
Odour:	No Objectionable Odour
French VOC Emission Regs:	A+
Anti-Microbial & Mildew:	Pass
Impact Sound Reduction:	23 dB
Recyclable:	100%
Indoor Air Quality:	Green Label Plus Certified

STK Adhesives The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.




Timbermate Excell

Sponge Rubber

interfloor

The Interfloor Difference.



interfloor

Glues In Stock

Renovation Furniture Trading LLC

STK 900

Floors, Redefined.

Specifications

Use:	Carpet Adhesive (double stick)
Sub Floor Usage:	Concrete/Plywood/Chipboard/Screeding
	Self-levelling/Hardboard
Bucket Size:	15 kg
Coverage:	Approx. 2-3 m² per kg
Storage:	12 months (between 5-30 degrees C)
Solvent Free:	Yes
Non Staining:	Yes
Water Based:	Yes
Suitability:	Carpets
	Non plasticised vinyl floor
	Non plasticised PVC



STK Adhesives The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.



interfloor

Glues In Stock

Renovation Furniture Trading LLC

STK 950

Floors, Redefined.

Specifications

Use:	Carpets & Carpet Tiles Adhesive
Sub Floor Usage:	Concrete/Plywood/Chipboard/Screeds Self-levelling/Hardboard
Bucket Size:	15 kg
Coverage:	Approx. 4-9 m ² per kg
Storage:	12 months (between 5-30 degrees C)
Solvent Free:	Yes
Non Staining:	Yes
Water Based:	Yes
Suitability:	Carpets & Carpet Tiles Non plasticised vinyl floor Non plasticised PVC

STK Adhesives

The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.



interfloor

Glues In Stock

Renovation Furniture Trading LLC

STK 100

Floors, Redefined.

Specifications

Use:	Vinyl Floor Coverings, Carpets with PVC
Sub Floor Usage:	Concrete/Plywood/Chipboard/Screeding Self-levelling/Hardboard
Bucket Size:	15 kg
Coverage:	Approx. 3-4 m ² per kg
Storage:	12 months (between 5-30 degrees C)
Solvent Free:	Yes
Non Staining:	Yes
Water Based:	Yes
Suitability:	Vinyl Floor Coverings Carpets with PVC, PU, Latex Textile & High-Density Foam Backings

STK Adhesives

The complete package

Interfloor STK adhesives are specially designed to work with all our Interfloor underlays. Use the complete system to ensure a great finished installation and added peace of mind.



Sectors we are involved with.

We operate in a number of sectors in the UAE, GCC countries & beyond.

- Hospitality
- Workplace
- Residential
- Educational
- Healthcare
- Retail



Get in touch!



Email: id@rftgulf.com



Website: www.interdecor.ae



Phone: +971 4453 3068



Mobile: +971 56414 9931



Address: Westbury Tower, Office No. 1006, Business Bay,
Burj Khalifa Boulevard, Dubai PO Box 103642



Instagram: https://www.instagram.com/inter_decor_rft/



LinkedIn: <https://www.linkedin.com/company/inter-decor/>



Inter Decor

Underlays – In Stock

www.interdecor.ae

