

### Inter Decor

RENOVATION FURNITURE TRADING LLC



### VINYL HETEROGENOUS COLLECTIONS

MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.













### **BEAUFLOR**



Beuaflor is one of the leading producers of vinyl floors. Beauflor offers an extensive collection of high-quality cushion vinyl rolls. Guided by trends and technological improvements Beauflor strives to inspire and delight customers with vinyl floor solutions for every space. The vinyl floors are 100% recyclable and phthalate free.







### Specifications

Intensity of Use: 31 Light Commercial Use


Total Thickness: 2.50mm Wear Layer: 0.20mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 25m
Reaction to Fire: Bfl/S1
Impact Sound: LW15
Slip Resistant: R11

Phthalate Free: Yes (100% Phthalate Free)





Prism 049L



Prism 904M



Yorvik 940M

Yorvik 970D

### Specifications

Intensity of Use: 31 Light Commercial Use

Total Thickness: 2.50mm Wear Layer: 0.20mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 25m
Reaction to Fire: Bfl/S1
Impact Sound: LW15
Slip Resistant: R11

Phthalate Free: Yes (100% Phthalate Free)







Prime Oak 909D



Prime Oak 949D

### Specifications

Intensity of Use: 31 Light Commercial Use

Total Thickness: 2.50mm Wear Layer: 0.20mm

Abrasion Group T


Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 25m
Reaction to Fire: Bfl/S1
Impact Sound: LW15
Slip Resistant: R11

Phthalate Free: Yes (100% Phthalate Free)







### Specifications

Intensity of Use: 32 Commercial Use

41 Industrial Moderate Use

Total Thickness: 2.80mm Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW15
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Columbian Oak 139L



Columbian Oak 636L



Columbian Oak 939L



Columbian Oak 973M

#### Specifications

Intensity of Use: 32 Commercial Use

41 Industrial Moderate Use

Total Thickness: 2.80mm Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW15
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Fumed Oak 169M



Pamplona 970M



Fumed Oak 966M



Texas 162L

### Specifications

Intensity of Use: 32 Commercial Use

41 Industrial Moderate Use

Total Thickness: 2.80mm Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW15
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Texas 906M





Zinc 976M



Zinc 990D

### Specifications

Intensity of Use: 32 Commercial Use

41 Industrial Moderate Use


Total Thickness: 2.80mm Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW15
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Safira 990D

### Specifications

Intensity of Use: 32 Commercial Use

41 Industrial Moderate Use

Total Thickness: 2.80mm Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW15
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)

## **Expoline Collection**



#### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.00mm Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Fumed Oak 196M



Golden Oak 060L



Golden Oak 036M



Hickory 636D

#### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.00mm Wear Layer: 0.40mm

Abrasion Group Τ

Standard Roll Width: 4m (2&3m widths available)

30m Standard Roll Length: Reaction to Fire: Bfl/S1 LW10 Impact Sound: Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.00mm Wear Layer: 0.40mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)





Liana 919M

#### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.00mm Wear Layer: 0.40mm


Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)







### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use


Total Thickness: 2.25mm Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.25mm Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use


Total Thickness: 2.25mm Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)





Leah 557M Leah 222M



Leah 333M

### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.25mm Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Natural Oak 641M



Natural Oak 416M



Natural Oak 639M



Natural Oak 936

### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.25mm Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)





Arbo Oak 189M

Arbo 614D

### Specifications

Intensity of Use: 32 Commercial General Use

41 Industrial Moderate Use

Total Thickness: 2.25mm Wear Layer: 0.60mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW10
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)







### Specifications

Intensity of Use: 31 Light industrial Use

Total Thickness: 2.50mm Wear Layer: 0.25mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 25m
Reaction to Fire: Bfl/S1
Impact Sound: LW16
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Bergamo



Butterfly



Brick Vintage



Cobble

#### Specifications

Intensity of Use: 31 Light industrial Use

Total Thickness: 2.50mm Wear Layer: 0.25mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 25m
Reaction to Fire: Bfl/S1
Impact Sound: LW16
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)





**Daisies** 





Marmara Silver

Marquina

#### Specifications

Intensity of Use: 31 Light industrial Use

Total Thickness: 2.50mm Wear Layer: 0.25mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 25m
Reaction to Fire: Bfl/S1
Impact Sound: LW16
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)





Ornato





Treehouse Light

#### Specifications

Sand

Intensity of Use: 31 Light industrial Use

Total Thickness: 2.50mm Wear Layer: 0.25mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 25m
Reaction to Fire: Bfl/S1
Impact Sound: LW16
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)







### Specifications

Intensity of Use: 33 High Commercial Use

42 General Industrial Use

Total Thickness: 3.00mm Wear Layer: 0.55mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW16
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)





Disa 779M





Disa 997M

**Disa** 111S

### Specifications

Intensity of Use: 33 High Commercial Use

42 General Industrial Use

Total Thickness: 3.00mm Wear Layer: 0.55mm

Abrasion Group Т

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m Bfl/S1 Reaction to Fire: Impact Sound: LW16 Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Lime Oak 960L





Lime Oak 161M



Lime Oak 613M

### Specifications

Intensity of Use: 33 High Commercial Use

42 General Industrial Use

Total Thickness: 3.00mm Wear Layer: 0.55mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW16
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Lime Oak 661D



Lime Oak 796M



Lime Oak 960L

### Specifications

Intensity of Use: 33 High Commercial Use

42 General Industrial Use

Total Thickness: 3.00mm Wear Layer: 0.55mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 30m
Reaction to Fire: Bfl/S1
Impact Sound: LW16
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)







### Specifications

Intensity of Use: 34 Commercial Very Heavy

43 Industrial Heavy

Total Thickness: 2.00mm Wear Layer: 0.70mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 22m
Reaction to Fire: Bfl/S1
Impact Sound: LW6
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)



Sia 619M Sia 909L

#### Specifications

Intensity of Use: 34 Commercial Very Heavy

43 Industrial Heavy


Total Thickness: 2.00mm Wear Layer: 0.70mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)


Standard Roll Length: 22m
Reaction to Fire: Bfl/S1
Impact Sound: LW6
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)





Sia 999D Mira 909L



Mira 190L

#### Specifications

Intensity of Use: 34 Commercial Very Heavy

43 Industrial Heavy

Total Thickness: 2.00mm Wear Layer: 0.70mm

Abrasion Group T

Standard Roll Width: 4m (2&3m widths available)

Standard Roll Length: 22m
Reaction to Fire: Bfl/S1
Impact Sound: LW6
Slip Resistant: R10

Phthalate Free: Yes (100% Phthalate Free)







# Digital Printed Rolls

THE FUTURE STARTS HERE

## Digital Printed Rolls

### THE FUTURE STARTS HERE



### INNOVATIVE, CUTTING EDGE DESIGN

Our new digital printing process provides you with endless possibilities in terms of design, which cannot be achieved with conventional techniques. You can either choose from our standard collections SKYLINE, where the focus lies on extra long planks and large tiles or MOONLIGHT that regroups designs of weathered woods, natural, organic elements or WOW where bespoke, tailor made designs are made.













### Specifications

Intensity of Use:

Total Thickness:

Wear Layer: Abrasion Group

Standard Roll Width:

Reaction to Fire:

Impact Sound:

Slip Resistant:

31

2.50mm

0.25mm Т

4m

Bfl/S1

LW16

R10

# Moonlight


**ORGANIC & TEXTURAL** LATEST TRENDS.















### Specifications

Intensity of Use: 34-43 Total Thickness: 2.00mm Wear Layer: 0.70mm Abrasion Group

Standard Roll Width:

Reaction to Fire:

Impact Sound:

Slip Resistant:

Т

4m

Bfl/S1

LW6

R10

# Skyline

SUPERSIZED DESIGN WITH NO VISIBLE REPEAT.













### Specifications

Intensity of Use: 34-43 Total Thickness: 2.00mm Wear Layer:

Abrasion Group Standard Roll Width:

Reaction to Fire:

Impact Sound:

Slip Resistant:

0.70mm

Т

4m


Bfl/S1

LW6

R10

## WOW

**TAILOR** MADE DESIGNS.



# MODERN, CLASSICAL & STYLISH FLOOR, WALL & WINDOW TREATMENTS.

Inter Decor is a supply and fit out division based in the UAE with an extensive portfolio of floors, wall coverings and window treatment solutions. We offer extensive experience on a broad range of work from small bespoke fit-outs, through to substantial large-scale developments and masterplans

#### INTER DECOR

Renovation Furniture Trading LLC

T: +91 44533068 E: id@rftgulf.com.com

A: Opal Tower, Office No. 2004, Business Bay, Burj Khalifa Boulevard, Dubai PO Box 103642.

W: www.interdecor.ae

